

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS P O Box 1450 Alexandra, Virginia 22313-1450 www.weylo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	ATTORNEY DOCKET NO. CONFIRMATION NO.	
10/595,800	02/21/2007	James Hagan	PB60521-1USW	6953	
23347 GLAXOSMIT	7590 11/10/200 THKLINE	EXAM	EXAMINER		
CORPORATE INTELLECTUAL PROPERTY, MAI B482 FIVE MOORE DR., PO BOX 13398 RESEARCH TRIANGLE PARK, NC 27709-3398			JEAN-LOUIS, SAMIRA JM		
			ART UNIT	PAPER NUMBER	
			1617		
			NOTIFICATION DATE	DELIVERY MODE	
			11/10/2008	FLECTRONIC	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

USCIPRTP@GSK.COM LAURA.M.MCCULLEN@GSK.COM JULIE.D.MCFALLS@GSK.COM

Application No.	Applicant(s)	
10/595,800	HAGAN ET AL.	
Examiner	Art Unit	
SAMIRA JEAN-LOUIS	1617	

	10/393,000	TIAGAN ET AL.				
Office Action Summary	Examiner	Art Unit				
	SAMIRA JEAN-LOUIS	1617				
The MAILING DATE of this communication app	ears on the cover sheet with the o	orrespondence address				
Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MALING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filled after SIX (6) MONTHS from the making date of this communication. - Failur to reply within the set or observed provision of the set of this communication. - Failur to reply within the set or observed provision of the set or set offended provided in the set or set of the set						
Status						
1) Responsive to communication(s) filed on						
2a)☐ This action is FINAL. 2b)☒ This action is non-final.						
3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-23</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)☐ Claim(s) is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) <u>1-23</u> are subject to restriction and/or e	election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examine	r.					
10) The drawing(s) filed on is/are: a) acce		Examiner.				
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correct						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
.— , ,						
Priority under 35 U.S.C. § 119						
12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) ☐ All b) ☐ Some * c) ☐ None of:						
 Certified copies of the priority documents have been received. 						
Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attach worlde)						
Attachment(s) 1) Notice of References Cited (PTO-892)	4) Interview Summary	(BTO 442)				
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	ite				
3) Information Disclosure Statement(s) (PTO/SE/CE)	 Notice of Informal F 					
Paper No(s)/Mail Date .	6) Other:					

Application/Control Number: 10/595,800 Page 2

Art Unit: 1617

DETAILED ACTION

Election/Restrictions

Restriction is required under 35 U.S.C. 121 and 372.

This application contains the following inventions or groups of inventions, which are not so linked as to form a single general inventive concept under PCT Rule 13.1.

In accordance with 37 CFR 1.499, applicant is required, in reply to this action, to elect a single invention to which the claims must be restricted.

I. Group I, claims 1, 4-9, and 17-18 are drawn to a method for the treatment of a depressive disorder in a mammal comprising administering to said patient an effective amount of a compound of formula I:

II. Group II, claims 2, 5, and 10-14 are drawn to a method for the treatment of a depressive disorder in a mammal comprising administering to said patient an effective amount of a compound of formula II:

Art Unit: 1617

III. Group III, claims 3, 5, and 19-23 are drawn to a method for the treatment of a depressive disorder in a mammal comprising administering to said patient an effective amount of a compound of formula III:

The inventions listed as Groups I, II, and III do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features.

An international application should relate to only one invention or, if there is more than one invention, the inclusion of those inventions in one international application is only permitted if all inventions are so linked as to form a single general inventive concept (PCT Rule 13.1). With respect to a group of inventions claimed in an international application, unity of invention exists only when there is a technical relationship among the claimed inventions involving one or more of the same or corresponding special technical features.

The expression "special technical features" is defined in PCT Rule 13.2 as meaning those technical features that define a contribution which each of the inventions, considered as a whole, makes over the prior art. The determination is made on the contents of the claims as interpreted in light of the description and drawings.

Art Unit: 1617

Whether or not any specific technical feature makes a "contribution" over the prior art, and therefore constitutes a "special technical feature", should be considered with respect to novelty and inventive step.

In this instant application, the common technical feature in both groups is the use of Cox-2 inhibitor in depressive disorder. This cannot be said to be a special technical feature under PCT Rule 13.2 because it is shown in the prior art.

In this case, Muller (US 2003/0130334 A1, cited by applicant and filed on an IDS 1449) teaches the use of Cox-2 inhibitors in treating a psychiatric disorder (see abstract and pg. 1, paragraph 0002). As a result, no special technical features exist among the different groups because the inventions in Groups I, II, and III fail to make a contribution over the prior art with respect to novelty and inventive step. In conclusion, there is a lack of unity of inventions, and therefore restriction for examination purposes as indicated is proper.

Species Election

This application contains claims directed to more than one species of the generic invention. These species either possess divergent structures and/or different chemical and physical properties. Thus, these species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1

Application/Control Number: 10/595,800 Page 5

Art Unit: 1617

The species listed below do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same special technical feature among the different species.

The species are as follows:

1) for Group I:

b)

 a) Applicant is required to elect a particular compound of formula I to be used in the method of group I. Alternatively, applicant may elect a

particular compound of formula I listed in claims 5-6.

further entail additional components. Applicant is therefore required to elect the presence or absence of additional components. If the presence of additional component (s) is elected, then applicant is further required to

Furthermore, the recitation of claim 4 indicates that the method may

elect the particular components to be included in the method listed in

claims 7 or 8.

 Applicant is required to elect a particular depressive disorder to be used in the method of group I. Alternatively, applicant may elect a

particular depressive disorder listed in claim 18.

for Group II:

 a) Applicant is required to elect a particular compound of formula II to be used in the method of group II. Alternatively, applicant may elect a

particular compound of formula II listed in claim 5.

Application/Control Number: 10/595,800 Page 6

Art Unit: 1617

b) Furthermore, the recitation of claim 10 indicates that the method may further entail additional components. Applicant is therefore required to elect the presence or absence of additional components. If the presence of additional component (s) is elected, then applicant is further required to elect the particular components to be included in the method listed in claims 13 or 14.

 Applicant is required to elect a particular depressive disorder to be used in the method of group II. Alternatively, applicant may elect a particular depressive disorder listed in claim 12.

3) for Group III:

- a) Applicant is required to elect a particular compound of formula III to be used in the method of group III. Alternatively, applicant may elect a particular compound of formula III listed in claim 5.
- b) Furthermore, the recitation of claim 19 indicates that the method may further entail additional components. Applicant is therefore required to elect the presence or absence of additional components. If the presence of additional component (s) is elected, then applicant is further required to elect the particular components to be included in the method listed in claims 22 or 23.

Art Unit: 1617

 Applicant is required to elect a particular depressive disorder to be used in the method of group III. Alternatively, applicant may elect a particular depressive disorder listed in claim 21.

Applicant is required, in reply to this action, to elect a single species to which the claims shall be restricted if no generic claim is finally held to be allowable. The reply must also identify the claims readable on the elected species, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Applicant is advised that the reply to this requirement to be complete must include (i) an election of a invention to be examined even though the requirement may be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

The election of an invention may be made with or without traverse. To reserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse. Traversal must be presented at the time of election in order to be considered timely. Failure to timely traverse the requirement will result in the loss of right to petition under 37 CFR 1.144. If claims are added after the election, applicant must indicate which of these claims are readable on the elected invention.

Art Unit: 1617

If claims are added after the election, applicant must indicate which of these claims are readable upon the elected invention.

Should applicant traverse on the ground that the inventions are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the inventions to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

The following claims 1-23 are generic.

Applicant is also reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Art Unit: 1617

No telephone call was made due to the complexity of the election/restriction.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Samira Jean-Louis whose telephone number is 571-270-3503. The examiner can normally be reached on 7:30-5 PM EST M-Th.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sreeni Padmanabhan can be reached on 571-272-0629. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/S. J. L. /

Examiner, Art Unit 1617

10/31/08

/SREENI PADMANABHAN/

Page 10

Art Unit: 1617

Supervisory Patent Examiner, Art Unit 1617